

Slack: Configuration Steps

To complete the steps below, you must first install the Slack adapter from the Marketplace in Enzo Manager. Make sure you see the Slack adapter on the left menu of Enzo Manager before proceeding.

Go to		
https://ani.slack.com/anns		
mups.//api.siack.com/apps		
	← → C i # addetom/son	
Click on the Create an App		
button	In the states and the	
batton	Start here Your Apps	
	An introduction to apps	
	Parameter and a second se	
	Building an app Use our APIs to build an app that makes people's working lives better. You can create	
	App Dusprints agues that just for your worksgene or create a guidet Sater. App to Be thin the App Recent changes Description where assesses that found increase the Sater. And process	
	permissions Create an App	
	Overview	
	unis, ago smop Installing with OAuth Don't see an apo you're tooking for? Sign in to another workspace,	
	Quisiant de la constant de	
	regranda guan App Security	
	Reference	
	App surfaces	
Then Enter Application	C 2 C = aboarcecon/abba X C = A	
	👬 slack api 🛛 Q. Search Documentation Tutorials Your Apps	
name, select a		
workspace then click on	Start here Create a Slack App ×	
workspace then click on	An Introduction to apps	
the Create App button	Planning your app	
	Bidding and Anno IestApp	
	App bluepints Use Don't worry; you'll be able to change this later.	
	Ricard changes Development Slack Workspace	
	Blue Syntax	
	Installation & permissions Your app belongs to this workspace -leaving this workspace will remove your	
	ability to manage this app. Unfortunately, this can't be changed later.	
	Dasic setup By creating a Web API Application, you agree to the Slack API Terms of	
	Installing with CAuth Service.	
	Quidatart Cancel Crante Arm	
	Mgation guide	
	App acontry Bakerana	
	App surfaces	
	(Dvervlerv	



Enter Redirect	← → C (# apislack.com/apps/A011C96M83Y/oauth? ☆ O (A :
	TestApp	
on. <u>http:///ocariost</u>	Settings Basic Information OAuth Tokens & Redirect URLs Collaborators These OAuth Tokens will be automatically generated when you finish connecting the app to your workspace. You'll use these tokens to authenticate your app. Manage Distribution Install App to Your workspace. You'll use these tokens to authenticate your app. App Home Install App to Workspace Incoming Webhoks Redirect URLs	
	Stach Commands You will need to configure redirect URLs in order to automatically generate the Add to Outlin & Permissions Stack button or to distribute your app. if you pass a URL in an OAuth request, it must (partially) match one of the URLs you enter here. Learn more. User ID Transition Redirect URLs Where's Bot User O Intto://localhost Cancel Add	
	Stack Add New Redirect URL Help Contact Policies Our Blog	
Click on the Add button	← → C ■ apislack.com/apps/A011C96M83Y/oauth?	• •
Click on the Add button then click on the SaveUrls button	Final activity Install App to Workspace App Home Incoming Webhooks Interactivity & Shortcuts Install App to Workspace Outle & Permission Outlet & Permission Event Subscriptions Outlet & Permission Where's Bot User Importance of the URLs ou enter here. Learn more. Stack = Utar Importance of the URLs ou enter here. Learn more. Biolides Our Blog Stock parts Importance of the URLs ou enter here. Learn more. Duritility match one of but URLs ou enter here. Learn more. Importance of the URLs Numer Sourd Contract Dides Our Blog Importance of the URLs Stock parts Importance of the URLs Duritility match one of the URLs out enter here. Importance of the URLs Stock parts Importance of the URLs Duritility match one of the URLs Importance of the URLs Duritility match one of the URLs Importance of the URLs Duritility match one of the URLs Importance of the URLs Duriting of the URLs </th <th></th>	
	A an interference (2011) 2000 2001 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40 40	
Scroll down and select the User Token Scopes identified. Depending on the operations you are using in the Slack adapter, you may need additional scopes.	Comparison Description Outlin Scope Description Channelszhistory View messages and other content in the user's public channels Channelsznead View basic information about public channelszwrite Channelszwrite Manage the user's public channels and create new ones on the user's private channels and create new ones on the use	
	Scopes define the API methods an acp is allowed to call, which information and catabilities are available on the workspace the initialited on. Many scopes are restricted to specific resources like channels or files.	

